

INSTALLATION INSTRUCTIONS

LED Corridor Light (LSSF-COR Series)

WARNING!

READ CAREFULLY BEFORE INSTALLING FIXTURE. RETAIN THESE INSTRUCTION FOR FUTURE REFERENCE.

- TO AVOID RISK OF FIRE, OR ELECTRIC SHOCK THIS PRODUCT SHOULD BE INSTALLED, INSPECTED AND MAINTAINED BY A QUALIFIED ELECTRICIAN ONLY.
- INSTALLATION SHOULD BE COMPLETED BY AN INDIVIDUAL FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE LUMINAIRE. INSTALLATION OF LUMINAIRE MUST BE IN ACCORDANCE WITH NATION AND LOCAL BUILDING AND ELECTRICAL CODES.
- TO AVOID ELECTRIC SHOCK, BE CERTAIN ELECTRICAL POWER IS OFF BEFORE AND DURING INSTALLATION AND MAINTENANCE.
- TO AVOID BURNING HANDS, MAKE SURE LENS AND HOUSING ARE COOL WHEN PERFORMING MAINTENANCE.
- TO AVOID PRODUCT DEGRADATION, MAKE SURE THE WIRE SUPPLY VOLTAGE IS THE SAME AS THE LUMINAIRE SUPPLY.
- AVOID USE IN ENVIROMENTS CONTAINING SULFUR, CHLORINE, OR OTHER HALIDES, METHYL ACETATE OR ETHYL ACETATE, CYANOARCYLATES, GLYCOL ETHERS, FORMALDEHYDE OR BUTADIENE.


Notes:

- Instructions do not cover all details and all possible product configurations.
- Do not restrict luminaire ventilation.
- Ensure LED luminaire is not covered with material that will prevent convection or conduction cooling.
- Ensure LED luminaire has the correct polarity before installation.
- Avoid exposing wiring to metal edges and sharp objects.

Maintenance:


Perform visual, electrical, and mechanical inspections on a regular basis. The environment and frequency of use should determine this. However, it is recommended that checks be made at least once a year. Electrically check to make sure that all connections are clean and tight. Mechanically check that all parts are properly assembled.


INSTALLATION DIMENSION




2ft.: L: 24.49" A: 18.90" B: 15.75" C: 2.36" **4ft.:** L: 48.03" A: 42.44" B: 39.29" C: 2.36"

SURFACE MOUNT





WIRING DIAGRAM



DIP SWITCH FOR CCT

