



Linear LED Light

SOPHIA ARCHITECTURAL SERIES




Endless Configuration




Seamless Continuous Runs




Decorative Wall Mount



Emergency Battery Back-up Option



Shown with Canopy Kit



Sophia LED linear luminaires offer a clean and modern appearance with a sleek extruded aluminum housing. Symmetrical light distribution will evenly illuminate surfaces with a diffused lens, making the Sophia ideal for commercial, retail, healthcare and education applications. Internal quick connects allow systems to be connected with seamless luminous L, T or X connectors.

FEATURES

- Selectable 3000K, 4000K or 5000K @ 90+CRI
- Can be surface, suspended, wall, recessed mounted
- Seamless linkable
- Five different length: 2', 3', 4', 6' or 8'
- White or Black finish
- Endless configurations with different connection via L/T/X joints on both ends
- Emergency Back-up option available
- 5-year limited warranty
- cULus Listed for Damp location



ARCHITECTURAL LIGHTING

SOPHIA DOWN DIRECT LINEAR LIGHT

Pendant, Surface, Wall or Recessed Mounting

Selectable 3CCT Down Direct LED Linear Light
Seamless linkable - Can be surface, suspended, wall or recessed mounted



Emergency Battery
Back-up Option

ORDERING CHART

PART NUMBER	LENGHT	LUMEN/WATTAGE	EFFICACY	VOLTAGE	SELECTABLE 3CCT	CRI	FINISH	LISTING
LSS-2-3CCT	2'	2000lm/20W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-3-3CCT	3'	3000lm/30W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-4-3CCT	4'	4000lm/40W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-4-3CCT-BL	4'	4000lm/40W	100lm/W	120-277V	30K/40K/50K	90	Black	cULus
LSS-6-3CCT	6'	6000lm/60W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-6-3CCT-BL	6'	6000lm/60W	100lm/W	120-277V	30K/40K/50K	90	Black	cULus
LSS-8-3CCT	8'	8000lm/80W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-8-3CCT-BL	8'	8000lm/80W	100lm/W	120-277V	30K/40K/50K	90	Black	cULus
with EMERGENCY OPTION								
LSS-4E-3CCT	4'	4000lm/40W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-8E-3CCT	8'	8000lm/80W	100lm/W	120-277V	30K/40K/50K	90	White	cULus

ARCHITECTURAL LIGHTING

SOPHIA DOWN WITH UP INDIRECT LINEAR LIGHT


Pendant or Wall Mounting

Selectable 3CCT Down Direct with UP Indirect LED Linear Light
Seamless linkable - Can be suspended or wall mounted



ORDERING CHART

PART NUMBER	LENGHT	LUMEN/WATTAGE	EFFICACY	VOLTAGE	SELECTABLE 3CCT	CRI	FINISH	LISTING
LSS-UP-2-3CCT	2'	2000lm/20W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-UP-3-3CCT	3'	3000lm/30W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-UP-4-3CCT	4'	4000lm/40W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-UP-4-3CCT-BL	4'	4000lm/40W	100lm/W	120-277V	30K/40K/50K	90	Black	cULus
LSS-UP-6-3CCT	6'	6000lm/60W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-UP-6-3CCT-BL	6'	6000lm/60W	100lm/W	120-277V	30K/40K/50K	90	Black	cULus
LSS-UP-8-3CCT	8'	8000lm/80W	100lm/W	120-277V	30K/40K/50K	90	White	cULus
LSS-UP-8-3CCT-BL	8'	8000lm/80W	100lm/W	120-277V	30K/40K/50K	90	Black	cULus



ARCHITECTURAL LIGHTING

SOPHIA LINEAR LIGHT ACCESSORIES

Selectable 3CCT Down Direct LED Linear Light Connectors

Seamless continuous runs with endless configurations




90° L



120° L



T



X



Wall to Ceiling

PART NUMBER	STYLE	LENGHT	LUMEN/WATTAGE	SELECTABLE 5CCT	VOLTAGE	DIMMING	CRI	FINISH	LISTING
LSS-L-3CCT	90° L-Connector	1ft.	1000lm/10W	30K/40K/50K	120-277V	TRIAC	90	White	cULus
LSS-LHE-3CCT	120° L-Connector	1ft.	1000lm/10W	30K/40K/50K	120-277V	TRIAC	90	White	cULus
LSS-T-3CCT	T-Connector	1ft.	1000lm/10W	30K/40K/50K	120-277V	TRIAC	90	White	cULus
LSS-X-3CCT-BL	X-Connector	1ft.	1000lm/10W	30K/40K/50K	120-277V	TRIAC	90	Black	cULus
LSS-L-WALLCEILING-3CCT	Wall/Ceiling Connector	1ft.	1000lm/10W	30K/40K/50K	120-277V	TRIAC	90	White	cULus

Canopy Kit for Sophia Architectural Series

Aircraft System



PART NUMBER	DESCRIPTION	FINISH
LSS-C-4BL	4' Aircraft Canopy Kit	Black
LSS-C-4WH	4' Aircraft Canopy Kit	White
LSS-C-10BL	10' Aircraft Canopy Kit	Black
LSS-C-10WH	10' Aircraft Canopy Kit	White

Wall Mount Kit

Two for each Fixture



PART NUMBER	DESCRIPTION	FINISH
LSS-WALLBRACKET	Wall Mount Kit	White

Coupling

100-277V



PART NUMBER	DESCRIPTION	FINISH
LSS-CUP	Coupling	White

UL Listed 5-Wire Cable


Packed in Roll



PART NUMBER	DESCRIPTION	VOLTAGE	FINISH
LSS-CABLE5-100FT-BL	100' UL-Listed 5-Wire Cable	300V	Black
LSS-CABLE5-100FT-WHT	100' UL-Listed 5-Wire Cable	300V	White

Recessed Flange Kit for T-bar Ceiling



Slim aluminum profile. Mounting screws included



PART NUMBER	DESCRIPTION	FINISH
LSS-FLKIT-4	4' Recessed Flange Kit	White
LSS-FLKIT-8	8' Recessed Flange Kit	White

Recessed Mud-In Kit

Mounting screws included



PART NUMBER	DESCRIPTION	FINISH
LSS-MUDKIT-2	2' Mud Kit	White
LSS-MUDKIT-4	4' Mud Kit	White

8W Emergency Lithium Battery Backup

100-277V



PART NUMBER	DESCRIPTION	VOLTAGE	TIME
LSS-EMERGENCY-8W	8W Lithium Battery Backup	100-277V	90min

