Lighting SPOT26

Bright up your life

### **Product Name:**

8" LED Disk Light

LS26-DL8"-20W3K

LS26-DL8"-20W4K

LS26-DL8"-20W5K

# **Product Specification**

Light source: SMD2835 LED LED Quantity: 88 Voltage/ Frequency: 120V AC/60Hz Power: 20W Lumens: 1300lm/1350lm/1360lm CCT: 3000K/4000K/5000K PF:  $\geq$ 0.9 CRI:  $\geq$ 90 Lifetime: 50000 hours Beam Angle: 110°

Dimmable: Yes

#### Features

8 inch Round Disk Light.

Indoor use only.

Suitable for wet locations.

This device is not intended for use with emergency exits.

Product	COLOR	ССТ	VOLTAGE	WATT	LUMEN	EFFICIENT	Beam
Code						CY	Angle
COUC							







LS26-DL8"- 20W3K	WHITE	3000K	120V	20W	1300lm	65lm/w	110°
LS26-DL8"- 20W4K	WHITE	4000K	120V	20W	1350lm	67lm/w	110°
LS26-DL8"- 20W5K	WHITE	5000K	120V	20W	1360lm	68lm/w	110°

Lighting SPOT26						
	BOX SIZE up your life	Units per case	Package dimensions	Shipping Weight		
LS26-DL8"- 20W3K	236*62*224MM	20PCS/Carton	496*337*472MM	10.5KG		
LS26-DL8"- 20W4K	236*62*224MM	20PCS/Carton	496*337*472MM	10.5KG		
	000±00±00 / II /		400±007± 4701 II 4			

LIGHTING SPOT 26/VERNON, CA 90058/www.lightingspot26.com

#### Warning

Switch off the power before replacing down light.


All goods will be guaranteed for 3 years in normal use from date of

original purchase.


Improper use (wrong voltage, wrong power supply, wrong dimmer etc) will not be guaranteed.

For quality problem, we will send free replacements for bulbs or other spare parts as requested together with next order.

For damaged goods, you need to inform us within three days after receiving the goods. We will send you replacement spare parts (bulbs) or help to claim from the forwarder.




#### Easy to Install in 3 Easy Steps:




Step1: Fix the installation

Bracket



Step2: Connecting the wire



Step3: Press the light to fit the

bracket and rotate clockwise

Size: 228X42.3MM / 9X1.7 Inch

## **Product Applications**







LIGHTING SPOT 26/VERNON, CA 90058/www.lightingspot26.com